



















Линзы серии STRADELLA-IP-28

SZ5-M2		SZ8-Y19		SZ5-M2		SZ8-Y19	
CS15911 STRADELLA-IP-28-T2-PC				CS16034 STRADELLA-IP-28-T2			
							
							
asymmetric* for SZ5-M2 (Eff.89%) / L100.0xW100.0xH9.2mm / PC		asymmetric* for SZ8-Y19 (Eff.85%) / L100.0xW100.0xH9.2mm / PC		asymmetric* for SZ5-M2 (Eff.00%) / L100.0xW100.0xH9.2mm / PMMA		asymmetric* for SZ8-Y19 (Eff.90%) / L100.0xW100.0xH9.2mm / PMMA	
CS16579 STRADELLA-IP-28-T1-A-PC*				CS16575 STRADELLA-IP-28-T1-A*			
							
							
asymmetric* for SZ5-M2 (Eff.89%) / L100.0xW100.0xH0.0mm / PC		asymmetric* for SZ8-Y19 (Eff.84%) / L100.0xW100.0xH0.0mm / PC		asymmetric* for SZ5-M2 (Eff.94%) / L100.0xW100.0xH0.0mm / PMMA		asymmetric* for SZ8-Y19 (Eff.90%) / L100.0xW100.0xH0.0mm / PMMA	
CS16691 STRADELLA-IP-28-SCL-PC*				CS16690 STRADELLA-IP-28-SCL			
							
							
asymmetric* for SZ5-M2 (Eff.84%) / L100.0xW100.0xH0.0mm / PC		asymmetric* for SZ8-Y19 (Eff.82%) / L100.0xW100.0xH0.0mm / PC		asymmetric* for SZ5-M2 (Eff.00%) / L100.0xW100.0xH0.0mm / PMMA		asymmetric* for SZ8-Y19 (Eff.00%) / L100.0xW100.0xH0.0mm / PMMA	



ИННОВАЦИИ И
ПАРТНЕРСТВО

LED department of SEA Company
13-B Krakovskaya Str., 02094, Kyiv, Ukraine
Tel/Fax: +380-44-291-00-41
<https://www.sea.com.ua/led/>

Линзы серии STRADELLA-IP-28

SZ5-M2		SZ8-Y19		SZ5-M2		SZ8-Y19		SZ5-M2		SZ8-Y19					
CS16328 STRADELLA-IP-28-HB-S-PC				CS16322 STRADELLA-IP-28-HB-S				CS16329 STRADELLA-IP-28-HB-M-PC				CS16323 STRADELLA-IP-28-HB-M			
27° (50%int.) for SZ5-M2 (Eff.87%) / L100.0xW100xH9.5mm / PC		24° (50%int.) for SZ8-Y19 (Eff.82%) / L100.0xW100xH9.5mm / PC		30° (50%int.) for SZ5-M2 (Eff.94%) / L100.0xW100xH9.5mm / PMMA		24° (50%int.) for SZ8-Y19 (Eff.89%) / L100.0xW100xH9.5mm / PMMA		63° (50%int.) for SZ5-M2 (Eff.92%) / L100.0xW100xH9.5mm / PC		73° (50%int.) for SZ8-Y19 (Eff.88%) / L100.0xW100xH9.5mm / PC		70° (50%int.) for SZ5-M2 (Eff.94%) / L100.0xW100xH9.5mm / PMMA		65° (50%int.) for SZ8-Y19 (Eff.94%) / L100.0xW100xH9.5mm / PMMA	
CS16330 STRADELLA-IP-28-HB-W-PC*				CS16324 STRADELLA-IP-28-HB-W*				CS16581 STRADELLA-IP-28-VSM-PC				CS16577 STRADELLA-IP-28-VSM			
88° (50%int.) for SZ5-M2 (Eff.92%) / L100.0xW100xH9.5mm / PC		103° (50%int.) for SZ8-Y22 (Eff.88%) / L100.0xW100xH9.5mm / PC**		91° (50%int.) for SZ5-M2 (Eff.94%) / L100.0xW100xH9.5mm / PMMA		109° (50%int.) for SZ8-Y22 (Eff.93%) / L100.0xW100xH9.5mm / PMMA**		150° (50%int.) for SZ5-M2 (Eff.90%) / L100.0xW100xH9.5mm / PC		141° (50%int.) for SZ8-Y19 (Eff.88%) / L100.0xW100xH9.5mm / PC		147° (50%int.) for SZ5-M2 (Eff.94%) / L100.0xW100xH9.5mm / PMMA		138° (50%int.) for SZ8-Y19 (Eff.93%) / L100.0xW100xH9.5mm / PMMA	

* - имеют статус «preliminary», и могут быть изменены в процессе

** - Minor NOK, irregular light distribution

