


# Reeth

LED GLASS LENS





2018













# PRODUCT CATALOG











<http://www.reeth-ledlens.com>  
Email: [sales@reeth-lens.com](mailto:sales@reeth-lens.com)





| No. | Model No.                                    | Picture                                                                                                                                                | Dimension                                                                             |
|-----|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 01  | RH-SL-22                                     |  <p>parameter:1W-5W COB LED<br/>60 * 120degree</p>                    |    |
| 02  | RH-SL-14<br>【 gasket +holder】<br>recommended |  <p>parameter:10W-30W COB LED<br/>60 * 120degree</p>                 |   |
| 03  | RH-SL-16<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-50W COB LED<br/>70 * 125degree (asymmetrical)</p> |  |
| 04  | RH-SL-13                                     |  <p>parameter:30W-50W COB LED<br/>60 * 120degree</p>                |  |






| No. | Model No.                                    | Picture                                                                                                                                 | Dimension                                                                             |
|-----|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 05  | RH-SL-18<br>【 gasket +holder】                |  <p>parameter:10W-30W COB LED<br/>60 * 120degree</p>   |    |
| 06  | RH-SL-11<br>【 gasket +holder】<br>recommended |  <p>parameter:10W-30W COB LED<br/>60 * 120degree</p>  |    |
| 07  | RH-SL-29<br>【 gasket +holder】                |  <p>parameter:10W-50W COB LED<br/>85 * 120degree</p> |  |
| 08  | RH-SL-78-S<br>【 gasket +holder】              |  <p>parameter:10W-50W COB LED<br/>80 * 120degree</p> |  |





| No. | Model No.                                                                                       | Picture                                                                                                                                 | Dimension                                                                             |
|-----|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 09  | <b>RH-SL-51</b><br><b>【 gasket +holder】</b><br><b>recommended</b>                               |  <p>parameter:30W-100W COB LED<br/>70 * 140degree</p>  |    |
| 10  | <b>RH-SL-53</b><br><b>【 gasket +holder】</b><br><b>recommended</b>                               |  <p>parameter:10W-50W COB LED<br/>80 * 150degree</p>  |   |
| 11  | <b>RH-SL-15</b><br><b>RH-SL-15</b><br><b>parameter:30W-50W COB LED</b><br><b>70 * 140degree</b> |                                                      |  |
| 12  | <b>RH-SL-20</b><br><b>【 gasket +holder】</b><br><b>recommended</b>                               |  <p>parameter:10W-50W COB LED<br/>75 * 135degree</p> |  |





| No. | Model No.                                    | Picture                                                                                                                                          | Dimension                                                                             |
|-----|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 13  | RH-SL-06<br>【 gasket +holder】<br>recommended |  <p>parameter:10W-50W COB LED<br/>70°*140degree</p>             |    |
| 14  | RH-SL-26                                     |  <p>parameter:10W-50W COB LED<br/>60°*120degree</p>            |   |
| 15  | RH-SL-04                                     |  <p>parameter:30W,50W,80W,100W COB LED<br/>60°*120 degree</p> |  |
| 16  | RH-SL-09<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>80°*140degree</p>          |  |






| No. | Model No.                                    | Picture                                                                                                                                              | Dimension                                                                             |
|-----|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 17  | RH-SL-17<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>50° 130degree (asymmetrical)</p> |     |
| 18  | RH-SL-05<br>【 gasket +holder】                |  <p>parameter:30W-100W COB LED<br/>60° 120degree</p>               |   |
| 19  | RH-SL-52<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>95° 140degree</p>              |  |
| 20  | RH-SL-54<br>【 gasket +holder】                |  <p>parameter:30W-100W COB LED<br/>60° 120degree</p>              |  |





| No. | Model No.                                    | Picture                                                                                                                                    | Dimension                                                                             |
|-----|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 21  | RH-SL-58                                     |  <p>parameter:10W-100W COB LED<br/>70* 105degree</p>      |     |
| 22  | RH-SL-21<br>【 gasket +holder】<br>recommended |  <p>parameter:10W-50W COB LED<br/>asymmetrical light</p> |   |
| 23  | RH-SL-50                                     |  <p>parameter:30W-100W COB LED<br/>60 * 140degree</p>   |  |
| 24  | RH-SL-50 ( AG)                               |  <p>parameter:30W-100W COB LED<br/>60 * 140degree</p>   |  |





| No. | Model No.                                   | Picture                                                                                                                                  | Dimension                                                                             |
|-----|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 25  | RH-SL-27<br>【gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>80* 85degree</p>     |    |
| 26  | RH-SL-02<br>【gasket +holder】                |  <p>parameter:30W-100W COB LED<br/>60* 120 degree</p>  |    |
| 27  | RH-SL-42                                    |  <p>parameter:30W-100W COB LED<br/>70* 140 degree</p> |  |
| 28  | RH-SL-45<br>【gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>70* 145degree</p>  |  |




| No. | Model No.                                      | Picture                                                                                                                                               | Dimension                                                                             |
|-----|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 29  | RH-SL-03<br>【 gasket +holder】<br>recommended   |  <p>parameter:30W-150W COB LED<br/>55* 130 degree (asymmetrical)</p> |    |
| 30  | RH-SL-07<br>【 gasket +holder】<br>recommended   |  <p>parameter:30W-150W COB LED<br/>75* 135degree</p>                |   |
| 31  | RH-SL-07-1<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-150W COB LED<br/>60* 115degree</p>               |  |
| 32  | RH-SL-08<br>【 gasket +holder】<br>recommended   |  <p>parameter:30W-150W COB LED<br/>75* 135degree</p>               |  |







| No. | Model No.                                   | Picture                                                                                                                                                | Dimension                                                                             |
|-----|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 33  | RH-SL-10                                    |  <p>parameter:30W-100W COB LED<br/>70° 135degree</p>                  |    |
| 34  | RH-SL-23<br>【gasket +holder】<br>recommended |  <p>parameter:30W-150W COB LED<br/>120° 160degree</p>                |   |
| 35  | RH-SL-25<br>【gasket +holder】<br>recommended |  <p>parameter:30W-150W COB LED<br/>75° 150degree (asymmetrical)</p> |  |
| 36  | RH-SL-28                                    |  <p>parameter:30W-150W COB LED<br/>80° 150degree (asymmetrical)</p> |  |

| No. | Model No.                                   | Picture                                                                                                                                                | Dimension                                                                             |
|-----|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 37  | RH-SL-32<br>【gasket +holder】<br>recommended |  <p>parameter:30W-150W COB LED<br/>100* 160degree (asymmetrical)</p>  |    |
| 38  | RH-SL-33<br>【gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>75* 135degree</p>                 |    |
| 39  | RH-SL-34<br>【gasket +holder】<br>recommended |  <p>parameter:30W-150W COB LED<br/>80* 150degree (asymmetrical)</p> |   |
| 40  | RH-SL-38<br>【gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>80* 150 degree</p>               |  |







| No. | Model No.                                                         | Picture                                                                                                                                 | Dimension                                                                             |
|-----|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 41  | <b>RH-SL-39</b><br><b>【 gasket +holder】</b><br><b>recommended</b> |  <p>parameter:30W-100W COB LED<br/>60* 140degree</p>   |    |
| 42  | <b>RH-SL-43</b><br><b>【 gasket +holder】</b><br><b>recommended</b> |  <p>parameter:30W-100W COB LED<br/>70* 150degree</p>  |   |
| 43  | <b>RH-SL-44</b><br><b>【 gasket +holder】</b><br><b>recommended</b> |  <p>parameter:30W-100W COB LED<br/>80* 160degree</p> |  |
| 44  | <b>RH-SL-46</b><br><b>【 gasket +holder】</b><br><b>recommended</b> |  <p>parameter:30W-100W COB LED<br/>70* 150degree</p> |  |





| No. | Model No.                                                   | Picture                                                                                                                                                | Dimension                                                                             |
|-----|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 45  | RH-SL-57                                                    |  <p>parameter:10W-100W COB LED<br/>70° 135degree</p>                  |    |
| 46  | RH-SL-59                                                    |  <p>parameter:10W-100W COB LED<br/>105° 115degree</p>                |   |
| 47  | RH-SL-60<br><b>【 gasket +holder 】</b><br><b>recommended</b> |  <p>parameter:30W-100W COB LED<br/>55° 120degree</p>                |  |
| 48  | RH-SL-24<br><b>recommended</b>                              |  <p>parameter:30W-150W COB LED<br/>75° 150degree (asymmetrical)</p> |  |





| No. | Model No.                                   | Picture                                                                                                                                   | Dimension                                                                             |
|-----|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 49  | RH-SL-31                                    |  <p>parameter:50W-200W COB LED<br/>95* 145degree</p>     |    |
| 50  | RH-SL-19                                    |  <p>parameter:30W-100W COB LED<br/>75* 135degree</p>    |    |
| 51  | RH-SL-01<br>【gasket +holder】<br>recommended |  <p>parameter:100W-250W COB LED<br/>60* 120 degree</p> |  |





| No. | Model No.                                     | Picture                                                                                                                                     | Dimension                                                                             |
|-----|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 01  | RH-HBL-25<br>recommended                      |  <p>parameter: 1W-10W COB LED<br/>Ø60mm - 4 degree</p>     |    |
| 02  | RH-HBL-29<br>【 gasket +holder】<br>recommended |  <p>parameter: 10W-50W COB LED<br/>Ø66mm-120degree</p>    |   |
| 03  | RH-HBL-62<br>【 gasket +holder】<br>recommended |  <p>parameter: 3W-100W COB LED<br/>Ø78mm-120degree</p>   |  |
| 04  | RH-HBL-63<br>【 gasket +holder】<br>recommended |  <p>parameter: 30W-100W COB LED<br/>Ø78mm- 60 degree</p> |  |





# Reeth High Power Integrated LED Industrial Light Glass Lens Series P15

| No. | Model No.                                     | Picture                                                                                                                                         | Dimension                                                                             |
|-----|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 05  | RH-HBL-65<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>Ø78mm - 90 degree</p>       |    |
| 06  | RH-HBL-27<br>【 gasket +holder】                |  <p>parameter:10W-100W COB LED<br/>107*87mm - 60 degree</p>   |   |
| 07  | RH-HBL-28<br>【 gasket +holder】                |  <p>parameter:10W-100W COB LED<br/>107*87mm - 120 degree</p> |  |
| 08  | RH-HBL-24<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>Ø78mm - 100 degree</p>    |  |






| No. | Model No.                                             | Picture                                                                                                                                                      | Dimension                                                                             |
|-----|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 09  | RH-HBL-51<br><b>recommended</b>                       |  <p>parameter:5W-30W COB LED<br/>Ø35mm- ( 20- 30) degree</p>                |    |
| 10  | RH-HBL-18                                             |  <p>parameter:5W-30W COB LED<br/>Ø44mm ( 20-30) degree</p>                 |   |
| 11  | RH-HBL-16<br><b>recommended</b>                       |  <p>parameter:5W-30W COB LED<br/>Ø44mm-40degree</p>                       |  |
| 12  | RH-HBL-50<br><b>【 gasket +holder】<br/>recommended</b> |  <p>RH-HBL-50<br/>parameter:5W-30W COB LED<br/>Ø50mm- ( 20-30) degree</p> |  |





| No. | Model No.                      | Picture                                                                                                                                               | Dimension                                                                             |
|-----|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 13  | RH-HBL-56<br>【 gasket +holder】 |  <p>parameter:5W-30W COB LED<br/>Ø50mm-40degree</p>                  |    |
| 14  | RH-HBL-59<br>【 gasket +holder】 |  <p>parameter:5W-30W COB LED<br/>Ø50mm-60degree</p>                 |   |
| 15  | RH-HBL-57<br>【 gasket +holder】 |  <p>parameter:5W-30W COB LED<br/>Ø50mm- 60degree ( ANTI-GLARE)</p> |  |
| 16  | RH-HBL-58<br>【 gasket +holder】 |  <p>parameter:5W-30W COB LED<br/>Ø50mm-90degree</p>                |  |

| No. | Model No.                                     | Picture                                                                                                                                         | Dimension                                                                             |
|-----|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 17  | RH-HBL-60<br>【 gasket +holder】                |  <p>parameter:5W-30W COB LED<br/>Ø50mm- ( 110- 120) degree</p> |    |
| 18  | RH-HBL-54<br>【 gasket +holder】<br>recommended |  <p>parameter:10W-30W COB LED<br/>Ø66mm-45degree</p>          |   |
| 19  | RH-HBL-07<br>【 gasket +holder】<br>recommended |  <p>parameter:10W-50W COB LED<br/>Ø66mm-60 degree</p>        |  |
| 20  | RH-HBL-48<br>【 gasket +holder】<br>recommended |  <p>parameter:10W-50W COB LED<br/>Ø66mm-90degree</p>         |  |





| No. | Model No.                                        | Picture                                                                                                                                             | Dimension                                                                             |
|-----|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 21  | RH-HBL-49<br>【 gasket +holder】<br>recommended    |  <p>parameter:5W-30W COB LED<br/>Ø66mm-120degree ( ANTI-GLARE)</p> |    |
| 22  | RH-HBL-15<br>【 gasket +holder】<br>recommended    |  <p>parameter:30W-100W COB LED<br/>Ø67mm-45degree</p>             |   |
| 23  | RH-HBL-15-01<br>【 gasket +holder】<br>recommended |  <p>parameter:30-100w LED<br/>Ø67mm-45 degree</p>                |  |
| 24  | RH-HBL-52<br>recommended                         |  <p>parameter:10-50w LED<br/>Ø70mm-30 degree</p>                 |  |





# Reeth High Power Integrated LED Industrial Light Glass Lens Series P20






| No. | Model No.                                     | Picture                                                                                                                                   | Dimension                                                                             |
|-----|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 25  | RH-HBL-10                                     |  <p>parameter:20W-50W COB LED<br/>Ø72mm-70degree</p>     |    |
| 26  | RH-HBL-55<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>Ø78mm-45degree</p>   |   |
| 27  | RH-HBL-13<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>Ø-78mm-60degree</p> |  |
| 28  | RH-HBL-11<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>Ø78mm-90 degree</p> |  |





| No. | Model No.                                    | Picture                                                                                                                                               | Dimension                                                                             |
|-----|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 29  | RH-HBL-21<br>【gasket +holder】<br>recommended |  <p>parameter:30W-150W COB LED<br/>Ø78mm-90degree ( ANTI-GLARE )</p> |    |
| 30  | RH-HBL-12<br>【gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>Ø78mm-120 degree</p>             |   |
| 31  | RH-HBL-01<br>【gasket +holder】<br>recommended |  <p>parameter:50W-100W COB LED<br/>Ø78mm-180degree</p>             |   |
| 32  | RH-HBL-05                                    |  <p>parameter:30W-100W COB LED<br/>Ø82mm-120 degree</p>            |  |


# Reeth High Power Integrated LED Industrial Light Glass Lens Series P22

| No. | Model No.                                     | Picture                                                                                                                                  | Dimension                                                                             |
|-----|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 33  | RH-HBL-19<br>【 gasket +holder】<br>recommended |  <p>parameter:20W-100W LED<br/>Ø85mm-30 degree</p>      |    |
| 34  | RH-HBL-03                                     |  <p>parameter:30W-100W COB LED<br/>Ø90mm-80degree</p>  |   |
| 35  | RH-HBL-42<br>【 gasket +holder】                |  <p>parameter:30W-100W COB LED<br/>Ø91mm-45degree</p> |  |
| 36  | RH-HBL-43<br>【 gasket +holder】                |  <p>parameter:30W-100W COB LED<br/>Ø91mm-60degree</p> |  |

| No. | Model No.                                     | Picture                                                                                                                                                          | Dimension                                                                             |
|-----|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 37  | RH-HBL-44<br>【 gasket +holder】                |  <p>RH-HBL-44(LENS)</p> <p>parameter:30W-100W COB LED<br/>Ø91mm-90degree</p>    |     |
| 38  | RH-HBL-06<br>【 gasket +holder】                |  <p>parameter:30W-100W COB LED<br/>Ø91mm-120degree</p>                         |    |
| 39  | RH-HBL-45<br>【 gasket +holder】                |  <p>RH-HBL-45(LENS)</p> <p>parameter:30W-100W COB LED<br/>Ø91mm-140degree</p> |   |
| 40  | RH-HBL-47<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-150W COB LED<br/>Ø100mm-45 degree</p>                       |  |

| No. | Model No.                                    | Picture                                                                                                                                                | Dimension                                                                             |
|-----|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 41  | RH-HBL-14<br>【gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>Ø100mm-60degree</p>                |     |
| 42  | RH-HBL-08<br>【gasket +holder】<br>recommended |  <p>parameter:30W-150W COB LED<br/>Ø100mm-90degree</p>               |   |
| 43  | RH-HBL-53<br>【gasket +holder】<br>recommended |  <p>parameter:30W-150W COB LED<br/>Ø100mm-120degree</p>             |  |
| 44  | RH-HBL-20<br>【gasket +holder】<br>recommended |  <p>parameter:30W-150W COB LED<br/>Ø100-90degree ( ANTI-GLARE )</p> |  |

| No. | Model No.                                     | Picture                                                                                                                                          | Dimension                                                                             |
|-----|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 45  | RH-HBL-04<br>【 gasket +holder】                |  <p>parameter:50W-200W COB LED<br/>107mm-90degree</p>           |    |
| 46  | RH-HBL-02                                     |  <p>parameter:50W-200W COB LED<br/>Ø126mm-120degree</p>        |    |
| 47  | RH-HBL-64<br>【 gasket +holder】<br>recommended |  <p>parameter:30W-100W COB LED<br/>Ø100mm-30degree</p>        |  |
| 48  | RH-HBL-22<br>recommended                      |  <p>parameter:5W-30W COB LED<br/>Ø33mm- ( 20- 30 ) degree</p> |  |



| item | Lens diameter      | Focus |
|------|--------------------|-------|
| 1    | 50mm Fresnel lens  | 30mm  |
| 2    | 64mm Fresnel lens  | 33mm  |
| 3    | 74mm Fresnel lens  | 38mm  |
| 4    | 80mm Fresnel lens  | 40mm  |
| 5    | 112mm Fresnel lens | 70mm  |
| 6    | 120mm Fresnel lens | 80mm  |
| 7    | 130mm Fresnel lens | 95mm  |
| 8    | 150mm Fresnel lens | 120mm |
| 9    | 175mm Fresnel lens | 85mm  |
| 10   | 200mm Fresnel lens | 140mm |
| 11   | 250mm Fresnel lens | 175mm |
| 12   | 300mm Fresnel lens | 190mm |

## 5-30mm Plano-convex Glass Lens

| Model No.       | External Diameter | Internal Diameter | Lens Height | Edge Thickness |
|-----------------|-------------------|-------------------|-------------|----------------|
| RH-PL-5-2.1     | 5mm               |                   | 2.1mm       |                |
| RH-PL-5-2.5     | 5mm               |                   | 2.5mm       |                |
| RH-PL-5-2.8     | 5mm               |                   | 2.8mm       |                |
| RH-PL-14.4-10.5 | 14.4mm            | 12mm              | 10.5mm      | 2mm            |
| RH-PL-20.5-9    | 20.5mm            | 18.7mm            | 9mm         | 1.6mm          |
| RH-PL-21.7-8    | 21.7mm            | 13mm              | 8mm         | 2.7mm          |
| RH-PL-21.7-6.8  | 21.7mm            | 17.8mm            | 6.8mm       | 2.6mm          |
| RH-PL-21.5-19.7 | 21.5mm            | 19.7mm            | 7.6mm       | 2mm            |
| RH-PL-23-10     | 22.7mm            | 10.2mm            | 10mm        | 2.2mm          |
| RH-PL-24-10     | 24mm              |                   | 10mm        |                |
| RH-PL-27-10     | 27.3mm            | 25.1mm            | 10mm        | 2.6mm          |
| RH-PL-28-10     | 27.7mm            | 26.5mm            | 10mm        | 2.5mm          |
| RH-PL-28-7.5    | 28mm              | 25.8mm            | 7.5mm       | 2.4mm          |
| RH-PL-28-8.5    | 28mm              | 27.4mm            | 8.5mm       | 2.5mm          |
| RH-PL-29.5-11   | 29.5mm            | 27mm              | 11mm        | 3mm            |
| RH-PL-29.5-15.5 | 29.5mm            | 27mm              | 15.5mm      | 2.5mm          |
| RH-PL-30-8.5    | 30mm              | 28mm              | 8.5mm       | 3mm            |
| RH-PL-30-11     | 30mm              | 27mm              | 11mm        | 3mm            |
| RH-PL-30-14     | 30mm              | 26mm              | 14mm        | 3mm            |
| RH-PL-30-16     | 30mm              | 26.5mm            | 16mm        | 3mm            |

## 31-50mm Plano-convex Glass Lens

| Model No.       | External Diameter | Internal Diameter | Lens Height | Edge Thickness |
|-----------------|-------------------|-------------------|-------------|----------------|
| RH-PL-31.5-11   | 31.5mm            | 27.5mm            | 11mm        | 3mm            |
| RH-PL-31.5-15   | 31.5mm            | 30mm              | 15mm        | 2mm            |
| RH-PL-32-18     | 32mm              | 28.5mm            | 18mm        | 3mm            |
| RH-PL-34-11     | 34mm              | 28mm              | 11mm        | 3.6mm          |
| RH-PL-34.5-12   | 34.5mm            | 30mm              | 12mm        | 2.6mm          |
| RH-PL-34-13     | 34mm              | 30.5mm            | 13mm        | 3.6mm          |
| RH-PL-34-21     | 34mm              | 30mm              | 21mm        | 3mm            |
| RH-PL-35-8      | 35mm              |                   | 8mm         |                |
| RH-PL-37.5-14.7 | 37.5mm            | 34.4mm            | 14.7mm      | 2.3mm          |
| RH-PL-38-19.5   | 38mm              | 34.6mm            | 19.5mm      | 2.5mm          |
| RH-PL-40-12     | 40mm              | 37.5mm            | 12mm        | 2mm            |
| RH-PL-40-16     | 40mm              | 36mm              | 16mm        | 2.5mm          |
| RH-PL-40-18     | 40mm              | 36.5mm            | 18mm        | 3mm            |
| RH-PL-41-11     | 41mm              | 37mm              | 11mm        | 3mm            |
| RH-PL-42.5-11.5 | 42.5mm            | 39.5mm            | 11.5mm      | 2mm            |
| RH-PL-42-23.5   | 42mm              | 37.5mm            | 23.5mm      | 1.5mm          |
| RH-PL-43-14.5   | 43mm              | 36.5mm            | 14.5mm      | 2.8mm          |
| RH-PL-44.1-19   | 44.1mm            | 40.5mm            | 19mm        | 3mm            |
| RH-PL-44.5-26   | 44.5mm            | 40.8mm            | 26mm        | 3mm            |
| RH-PL-44.8-11   | 44.8mm            | 40mm              | 11.2mm      | 3mm            |
| RH-PL-45-13     | 45.5mm            | 42mm              | 13mm        | 2mm            |
| RH-PL-46-10     | 46mm              |                   | 9.8mm       |                |
| RH-PL-47-10.5   | 47mm              |                   | 10.5mm      |                |
| RH-PL-48.5-12.7 | 48.5mm            | 44.6mm            | 12.7mm      | 3.2mm          |
| RH-PL-49-21     | 49mm              | 46mm              | 21mm        | 3mm            |
| RH-PL-50-22.5   | 50mm              | 44mm              | 22.5mm      | 3.6mm          |
| RH-PL-50-27     | 50mm              | 47mm              | 27mm        | 3.5mm          |
| RH-PL-50-18.5   | 50mm              | 46mm              | 18.5mm      | 3mm            |
| RH-PL-50-23     | 50mm              | 47.5mm            | 23mm        | 3mm            |
| RH-PL-50.6-22   | 50.6mm            | 47.8mm            | 22mm        | 3mm            |
| RH-PL-50.6-21.5 | 50.6mm            | 47.2mm            | 21.5mm      | 2.8mm          |
| RH-PL-50.6-21.6 | 50.6mm            | 46.9mm            | 21.6mm      | 3mm            |

## 51-80mm Plano-convex Glass Lens

| Model No.       | External Diameter | Internal Diameter | Lens Height | Edge Thickness |
|-----------------|-------------------|-------------------|-------------|----------------|
| RH-PL-51.5-18.5 | 51.5mm            | 47mm              | 18.5mm      | 2.5mm          |
| RH-PL-51.5-24   | 51.5mm            | 48mm              | 24mm        | 3mm            |
| RH-PL-53-20.5   | 53mm              | 47mm              | 20.5mm      | 3mm            |
| RH-PL-53.5-21   | 53.5mm            | 46mm              | 21mm        | 3.6mm          |
| RH-PL-54-25     | 54mm              | 49.5mm            | 25mm        | 3mm            |
| RH-PL-54-19     | 54mm              | 49mm              | 19mm        | 2mm            |
| RH-PL-55.7-16.8 | 55.7mm            |                   | 16.8mm      | 2.5mm          |
| RH-PL-56-24     | 56mm              | 41mm              | 24mm        | 3.2mm          |
| RH-PL-57-22.7   | 57mm              | 52.5mm            | 22.7mm      | 3.1mm          |
| RH-PL-60.5-23.5 | 60.5mm            | 55mm              | 23.5mm      | 2.5mm          |
| RH-PL-63.5-15   | 63.5mm            | 59.5mm            | 15mm        | 2mm            |
| RH-PL-64-16.7   | 64mm              | 49.6mm            | 16.7mm      | 3.3mm          |
| RH-PL-64-18     | 64mm              | 60.2mm            | 18.4mm      | 3mm            |
| RH-PL-64-26     | 64mm              | 54.6mm            | 26mm        | 3.8mm          |
| RH-PL-64-27     | 64mm              | 59mm              | 27mm        | 3mm            |
| RH-PL-64-23.6   | 64mm              | 59mm              | 23.6mm      | 3.4mm          |
| RH-PL-65-25     | 65.3mm            | 61.4mm            | 24.9mm      | 3.6mm          |
| RH-PL-66-24     | 66mm              | 61mm              | 24mm        | 3mm            |
| RH-PL-66-26     | 66.3mm            | 61.5mm            | 26mm        | 3mm            |
| RH-PL-66-30     | 66mm              | 59.7mm            | 29.6mm      | 3.5mm          |
| RH-PL-66.5-23.5 | 66.5mm            | 60.5mm            | 23.5mm      | 3.5mm          |
| RH-PL-67-27.7   | 67mm              | 61.3mm            | 27.7mm      | 3.3mm          |
| RH-PL-67-22     | 67mm              | 61.5mm            | 22mm        | 3.4mm          |
| RH-PL-67-24     | 67mm              | 61mm              | 24mm        | 3.6mm          |
| RH-PL-66-28.6   | 66.4mm            | 60.8mm            | 28.6mm      | 3.4mm          |
| RH-PL-67-31     | 67mm              | 62mm              | 31mm        | 3.6mm          |
| RH-PL-68-12.5   | 68mm              | 64.2mm            | 12.5mm      | 4mm            |
| RH-PL-68-24     | 68mm              | 64.5mm            | 24mm        | 3.6mm          |
| RH-PL-69.5-13.8 | 69.5mm            |                   | 13.8mm      |                |
| RH-PL-70-26.5   | 70.5mm            | 65.5mm            | 26.5mm      | 3mm            |
| RH-PL-71-28.5   | 70.8mm            | 65mm              | 28.5mm      | 3.6mm          |
| RH-PL-73-28.5   | 73.4mm            | 71mm              | 28.5mm      | 3mm            |
| RH-PL-75-23.5   | 75mm              | 70mm              | 23.5mm      | 3mm            |
| RH-PL-77-12.4   | 76.8mm            | 74mm              | 12.4mm      | 2mm            |
| RH-PL-77-34     | 77mm              | 67.5mm            | 34mm        | 3.5mm          |
| RH-PL-78-24.5   | 78mm              | 74mm              | 24.5mm      | 3.7mm          |
| RH-PL-78-30     | 78.5mm            | 72.5mm            | 30mm        | 4mm            |
| RH-PL-78-27.5   | 78.5mm            | 75mm              | 27.5mm      | 2mm            |
| RH-PL-78.6-33.4 | 78.6mm            | 71.4mm            | 33.4mm      | 4.5mm          |
| RH-PL-79-35     | 79.5mm            | 72.5mm            | 35mm        | 5mm            |

## 81-140mm Plano-convex Glass Lens

| Model No.      | External Diameter | Internal Diameter | Lens Height | Edge Thickness |
|----------------|-------------------|-------------------|-------------|----------------|
| RH-PL-85-19    | 84.6mm            | 72.2mm            | 19.2mm      | 2mm            |
| RH-PL-85-18    | 85mm              | 79.3mm            | 18mm        | 3mm            |
| RH-PL-88-15.7  | 88mm              | 80mm              | 15.7mm      | 3mm            |
| RH-PL-88-24.5  | 88mm              | 82mm              | 24.5mm      | 2.8mm          |
| RH-PL-95-19    | 95.4mm            | 91mm              | 19mm        | 4.5mm          |
| RH-PL-98-34    | 98mm              | 95.5mm            | 34mm        | 3mm            |
| RH-PL-100-22   | 100mm             | 91.5mm            | 22mm        | 4.7mm          |
| RH-PL-107-23   | 107.3mm           | 101.5mm           | 23mm        | 2mm            |
| RH-PL-108-21.4 | 108mm             | 105.7mm           | 21.4mm      | 3mm            |
| RH-PL-120-23   | 120mm             | 110mm             | 23mm        | 5mm            |
| RH-PL-120-42   | 120mm             | 110mm             | 42mm        | 5mm            |