

114mm diameter 110 degree beam angle

<u>concave convex optical led anti-glare glass lens</u> <u>KL-HB114-35 for 10W-300W led light</u>

Product Description

Model	KL-HB114-35
Beam angle	110 degree
Material	high borosilicate glass 3.3
Refractive Index	1.474
Light Transmittance	95%, after coating can reach 100%
Working Temperature	from -50 degree to 550 degree
Color	transparent
Tensile Strength	40- 120Nmm - 2
Certificates	ISO9001/RoHS/SGS
Performance Advantages	A low inflation rate, high temperature resistant, high strength, high hardness, high light transmittance and high chemical stability
Suitable Led Power	10w-300w COB led, using led light-emitting area within 95mm
Accessories	with aluminum holder and gasket, easy installation.




WUXI KINGLUX GLASS LENS CO.,LIMITED





WUXI KINGLUX GLASS LENS CO.,LIMITED





Packaging & Shipping

two pieces glass lens in one box/40 boxes in one carton/ carton dimension L38*W35*H21

Our Services

- 1. provide optical Solution, solve the problem of the led light distribution.
- 2. design and production of glass lens according to the customer's samples or requirements
- 3. Have our own CNC machining center, can finish glass lens mold development, glass lens sample make within 7 days.

Company Information

Wuxi Kinglux Glass Lens Co.,Ltd specializes in optical designing,manufacturing and selling led glass lens and optical components,have more than 20 years optical glass lens production experience. We rely on our professional expertise and practical experience in the field of electro-optics to offer our customers products with consistent, superior quality. Because we firmly believe in providing trustworthy, dependable service, we have earned our customers' trust and support.



Factory appearance

CNC machining center



raw material Burning glass rod hot pressing optical glass blan



USC

polishing

Inspecting packing warehouse