




Order Information




PLUGGABLE TERMINAL BLOCKS

Plug-in terminal blocks, provide the wire size from 0.14mm² to 4mm². Available with different pitches from 2.54 to 10.16. Choosing insert direction, contact direction, plug-in direction according to requests. The product is designed in accordance with IEC60998, UL1059, CSA 22.2 No. 158 standards.



PCB UNIVERSAL SCREW TERMINAL BLOCKS

PCB universal screw terminal blocks, this typical feature of the screw connection system is characterized by the easy connection and extremely high contact strengths. provide the wire size from 0.08mm² to 5.3mm². Available with different pitches from 2.54 to 10.16, and 3 wire insertion directions : 900, 1350, 1800. The parts can be assembled by 2 ways and 3 ways, with the design level structures from 1 level to 4. The product is designed in accordance with IEC60998, UL1059, CSA 22.2 No. 158 standards.




PCB SPRING TERMINAL BLOCKS

PCB Spring terminal blocks, available with two connection methods, cage clamp contact and dish clamp contact. It can be used instead of Printed Circuit universal screw terminal blocks, more flexible. The product is designed in accordance with IEC60998, UL1059, CSA 22.2 No. 158 standards.



FEED THROUGH TERMINAL BLOCKS

Feed through terminal blocks, Connecting with two conductors easily and credibility. provide the wire size from 0.5mm² to 30mm². Available for with fuse and without fuse. The product is designed in accordance with IEC60998, UL1059, CSA 22.2 No. 158 standards.



BARRIER TERMINAL BLOCKS


Barrier terminal blocks, connecting easily, provide the wire size from 0.32mm² to 5.3mm². Available with different pitches from 6.35 to 14mm, with cover and without cover. The product is designed in accordance with IEC60998, UL1059, CSA 22.2 No. 158 standards.



T Terminal Block



TEK
COMMERCIAL
MULTI-PORT
MULTI-PORT



TB15EVC-3.5
TB15EVC-3.81

Pitch / Height 3.5mm 3.81mm / 9.2mm

Poles 2P~24P

Rated 300V/8A

Wire



TB15EVM-3.5
TB15EVM-3.81

Pitch / Height 3.5mm 3.81mm / 9.2mm

Poles 2P~24P

Rated 300V/8A

Wire



TB381-3.5
TB381-3.81

Pitch / Height 3.5mm 3.81mm / 8.6mm

Poles 2P,3P~24P

Rated 300V/10A

Wire 26-16AWG 1.5mm²



TB381H-3.5
TB381H-3.81

Pitch / Height 3.5mm 3.81mm / 16.2mm

Poles 2P,3P~24P

Rated 300V/10A

Wire 26-16AWG 1.5mm²



TB350-3.5
TB350-3.96

Pitch / Height 3.5mm 3.96mm / 8.4mm

Poles 2P,3P~24P

Rated 300V/10A

Wire 24-18AWG 1.0mm²




TB350R-3.5
TB350R-3.96

Pitch / Height 3.5mm 3.96mm / 8.4mm

Poles 2P,3P~24P

Rated 300V/10A

Wire 24-18AWG 1.0mm²



TB340-3.81

Pitch / Height 3.81mm / 8.3mm

Poles 2P,3P~24P

Rated 300V/10A

Wire 24-18AWG 1.0mm²



TB340R-3.81

Pitch / Height 3.81mm / 8.3mm

Poles 2P,3P~24P

Rated 300V/10A

Wire 24-18AWG 1.0mm²



TB126-5.0

Pitch / Height 5.0mm / 10.2mm

Poles 2P,3P~24P

Rated 300V/10A

Wire 26-14AWG 1.5mm²



TB126R-5.0

Pitch / Height	5.0mm / 10.2mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	26-14AWG 1.5mm ²



TB166-5.0

Pitch / Height	5.0mm / 12.8mm
Poles	2P~24P
Rated	300V/12A
Wire	18-12AWG 2.5mm ²



TB167-5.0

Pitch / Height	5.0mm / 14.0mm
Poles	2P~24P
Rated	300V/15A
Wire	22-12AWG 2.5mm ²




TB167R-5.0

Pitch / Height	5.0mm / 14.0mm
Poles	2P~24P
Rated	300V/15A
Wire	22-12AWG 2.5mm ²



TB103-5.0

Pitch / Height	5.0mm / 15.5mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	24-12AWG 2.5mm ²



TB330-5.0

Pitch / Height	5.0mm / 12.5
Poles	2P,3P~24P
Rated	300V/10A
Wire	24-12AWG 2.5mm ²



TB128-5.0
TB128-7.5

Pitch / Height	5.0mm 7.5mm / 14.0mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	24-12AWG 2.5mm ²



TB128R-5.0
TB128R-7.5

Pitch / Height	5.0mm 7.5mm / 14.2mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	24-12AWG 2.5mm ²



TB127-5.0
TB127-5.08

Pitch / Height	5.0mm 5.08mm / 10.1mm
Poles	2P,3P~24P
Rated	300V/12A
Wire	26-16AWG 1.5mm ²

T Terminal Block



TEK

COMMERCIAL INDUSTRIAL



TB129-5.0
TB129-5.08

TB129-7.5
TB129-7.62

Pitch / Height

Poles

Rated

Wire

5.0mm 5.08mm / 18.0mm
7.5mm 7.62mm

2P,3P~24P

300V/20A

24-12AWG 2.5mm²



TB129R-5.0
TB129R-5.08

TB129R-7.5
TB129R-7.62

5.0mm 5.08mm / 18.0mm
7.5mm 7.62mm

2P,3P~24P

300V/25A

24-12AWG 2.5mm²



TB500-5.0
TB500-5.08

5.0mm 5.08mm / 14.0mm

2P,3P~24P

300V/10A

24-12AWG 2.5mm²



TB2EKM-5.0
TB2EKM-5.08
TB2EKM-7.5
TB2EKM-7.62

Pitch / Height

Poles

Rated

Wire

5.0mm 5.08mm / 15.1mm
7.5mm 7.62mm

2P~24P

300V/15A

28-12AWG 2.5mm²



TB2EKA-5.0
TB2EKA-5.08
TB2EKA-7.5
TB2EKA-7.62

5.0mm 5.08mm / 26.0mm
7.5mm 7.62mm

2P~24P

300V/15A

28-12AWG 2.5mm²



TB2EKAM-5.0
TB2EKAM-5.08
TB2EKAM-7.5
TB2EKAM-7.62

5.0mm 5.08mm / 26.0mm
7.5mm 7.62mm

2P~24P

300V/15A

28-12AWG 2.5mm²



TB2EKB-5.0
TB2EKB-5.08
TB2EKB-7.5
TB2EKB-7.62

Pitch / Height

Poles

Rated

Wire

5.0mm 5.08mm / 26.0mm
7.5mm 7.62mm

2P~24P

300V/15A

28-12AWG 2.5mm²



TB2EKBM-5.0
TB2EKBM-5.08
TB2EKBM-7.5
TB2EKBM-7.62

5.0mm 5.08mm / 26.0mm
7.5mm 7.62mm

2P~24P

300V/15A

28-12AWG 2.5mm²



TB2EV-5.0
TB2EV-5.08
TB2EV-7.5
TB2EV-7.62

5.0mm 5.08mm / 12.0mm
7.5mm 7.62mm

2P~24P

300V/15A

RoHS Compliant



TB2ER-5.0
TB2ER-5.08
TB2ER-7.5
TB2ER-7.62

Pitch / Height	5.0mm 5.08mm / 12.0 7.5mm 7.62mm
Poles	2P~24P
Rated	300V/15A
Wire	



TB2EVC-5.0
TB2EVC-5.08
TB2EVC-7.5
TB2EVC-7.62

Pitch / Height	5.0mm 5.08mm / 12.0mm 7.5mm 7.62mm
Poles	2P~24P
Rated	300V/15A
Wire	




TB2EVM-5.0
TB2EVM-5.08
TB2EVM-7.5
TB2EVM-7.62

Pitch / Height	5.0mm 5.08mm / 12.0mm 7.5mm 7.62mm
Poles	2P~24P
Rated	300V/15A
Wire	



TB2ERC-5.0
TB2ERC-5.08
TB2ERC-7.5
TB2ERC-7.62

Pitch / Height	5.0mm 5.08mm / 11.9mm 7.5mm 7.62mm
Poles	2P~24P
Rated	300V/15A
Wire	



TB2ERM-5.0
TB2ERM-5.08
TB2ERM-7.5
TB2ERM-7.62

Pitch / Height	5.0mm 5.08mm / 11.9mm 7.5mm 7.62mm
Poles	2P~24P
Rated	300V/15A
Wire	



TB2EK-5.0
TB2EK-5.08
TB2EK-7.5
TB2EK-7.62

Pitch / Height	5.0mm 5.08mm / 15.1mm 7.5mm 7.62mm
Poles	2P~24P
Rated	300V/15A
Wire	28-12AWG 2.5mm ²



TB2EVT-5.0
TB2EVT-5.08

Pitch / Height	5.0mm 5.08mm / 22.1mm
Poles	2*(2P~24P)
Rated	300V/15A
Wire	



TB2ERT-5.0
TB2ERT-5.08


Pitch / Height	5.0mm 5.08mm / 22.1mm
Poles	2*(2P~24P)
Rated	300V/15A
Wire	



TB635-6.35

Pitch / Height	6.35mm / 21.6mm
Poles	2P,3P~24P
Rated	300V/30A
Wire	22-10AWG 4.0mm ²


T Terminal Block



TB636-6.35



TB950-9.5




TB141V-2.54

Pitch / Height	6.35mm / 21.5mm	9.5mm / 21.5mm	2.54mm / 13.6mm
Poles	2P,3P~24P	2P,3P~24P	2P~24P
Rated	300V/30A	300V/30A	150V/2A
Wire	24-10AWG 4.0mm ²	26-10AWG 4.0mm ²	26-20AWG 1.0mm ²



TB141R-2.54




TB390-5.0



TB142V-5.08
TB142V-7.62

Pitch / Height	2.54mm / 12.6mm	5.0mm / 15.0mm	5.08mm 7.62mm / 14.1mm
Poles	2P~24P	2P~24P	2P~24P
Rated	150V/2A	300V/8A	300V/10A
Wire	26-20AWG 1.0mm ²	22-18AWG 1.0mm ²	22-14AWG 1.5mm ²



TB142R-5.08
TB142R-7.62



TB250-2.5
TB250-3.5
TB250-7.0



TB235-3.81
TB235-3.96
TB235-5.0
TB235-7.5
TB235-10.0

Pitch / Height	5.08mm 7.62mm / 13.0mm	2.5mm 3.5mm / 15.5mm 7.0mm	3.81 5.0 7.5 mm / 15.5mm 3.96 10.0mm
Poles	2P~24P	2P~24P	2P~24P
Rated	300V/10A	300V/8A	300V/10A
Wire	22-14AWG 1.5mm ²	22-16AWG 1.5mm ²	20-14AWG 1.5mm ²



CONNECTORS MANUFACTURE

T ermin al Block



TB235W-3.81
TB235W-5.0
TB235W-7.5
TB235W-10.0

Pitch / Height	3.81 5.0 7.5mm / 9.2mm 10.0mm
Poles	2P~24P
Rated	300V/10A
Wire	20-14AWG 1.5mm ²



TB235T-5.0
TB235T-7.5
TB235T-10.0

Pitch / Height	5.0 7.5mm / 15.5mm 10.0mm
Poles	2P~24P
Rated	300V/10A
Wire	20-14AWG 1.5mm ²




TB333K-3.5

Pitch / Height	3.5mm / 10.0mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	28-18AWG 1.0mm ²



TB332K-5.0

Pitch / Height	5.0mm / 11.0mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	28-16AWG 1.5mm ²



TB301-5.0

Pitch / Height	5.0mm / 10.0mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	22-14AWG 1.5mm ²




TB301R-5.0

Pitch / Height	5.0mm / 10.0mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	22-14AWG 1.5mm ²



TB306-5.0

Pitch / Height	5.0mm / 10.0mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	22-14AWG 1.5mm ²



TB300-5.0
TB300-7.5

Pitch / Height	5.0mm 7.5mm / 12.6mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	22-14AWG 2.5mm ²



TB300R-5.0
TB300R-7.5

Pitch / Height	5.0mm 7.5mm / 12.6mm
Poles	2P,3P~24P
Rated	300V/10A
Wire	22-14AWG 2.5mm ²

RoHS Compliant

AMTEK CONNECTORS MANUFACTURE

Terminal Block




TEK
COMMERCIAL
MILITARY



TB305-5.0
TB305-7.5

Pitch / Height	5.0mm 7.5mm / 12.6mm
Poles	2P,3P~24P
Rated	300V/16A
Wire	22-14AWG 2.5mm ²



DG801-1
DG801-2
TB801-1
TB801-2
TB801-3
TB801-4
TB801-5

Height:12.0mm	1P,2P,3P,4P,5P
Rated	250V/10A
Wire	22-14AWG 2.5mm ²



No Wire Protector
TB□H

TB8H	TB10H	TB12H	TB14H
Height:15.5mm 16.5mm	19.0mm 25.2mm		
Poles	2P~12P		
Rated	450V/17.5A 750V/41A	450V/24A 750V/57A	
Wire	1.5mm ² 2.5mm ² 6.0mm ² 10.0mm ²		



Wire Protector
TB□HWP


TB8HWP
TB10HWP
TB12HWP
TB14HWP

Pitch / Height	Height:15.5mm 16.5mm 19.0mm 25.2mm
Poles	2P~12P
Rated	450V/17.5A 750V/41A 450V/24A 750V/57A
Wire	1.5mm ² 2.5mm ² 6.0mm ² 10.0mm ²



TB333J-3.5

Pitch / Height	3.5mm / 1.5mm
Poles	2P,3P~24P
Rated	300V/10A



TB332J-5.0

Pitch / Height	5.0mm / 2.0mm
Poles	2P,3P~24P
Rated	300V/10A



TB16S-B

Pitch / Height	6.35mm / 12.7mm
Poles	2P~26P
Rated	300V/15A
Wire	22-16AWG



TB25R - B

Pitch / Height	7.62mm / 15.3mm
Poles	2P~26P
Rated	300V/15A
Wire	22-14AWG



TB25C -B

Pitch / Height	7.62mm / 15.3mm
Poles	2P~26P
Rated	300V/15A
Wire	22-14AWG



CONNECTORS MANUFACTURE

T Terminal Block



TB25S - B

Pitch / Height	7.62mm / 15.3mm
Poles	2P~26P
Rated	300V/15A
Wire	22-14AWG



TB25H - A

Pitch / Height	7.62mm / 15.3mm
Poles	2P~26P
Rated	300V/15A
Wire	22-14AWG




TB28C - B

Pitch / Height	7.62mm / 17.3mm
Poles	2P~26P
Rated	300V/10A
Wire	22-14AWG



TB28S - B

Pitch / Height	7.62mm / 17.3mm
Poles	2P~26P
Rated	300V/10A
Wire	22-14AWG



TB28H - B

Pitch / Height	7.62mm / 17.3mm
Poles	2P~26P
Rated	300V/10A
Wire	22-14AWG



TB36S-B

Pitch / Height	8.25mm / 12.7mm
Poles	2P~26P
Rated	300V/20A
Wire	22-12AWG



TB35C - B

Pitch / Height	8.25mm / 15.1mm
Poles	2P~26P
Rated	300V/20A
Wire	22-12AWG



TB35S - B

Pitch / Height	8.25mm / 15.1mm
Poles	2P~26P
Rated	300V/20A
Wire	22-12AWG



TB35H - A

Pitch / Height	8.25mm / 15.1mm
Poles	2P~26P
Rated	300V/20A
Wire	22-12AWG

AMTEK CONNECTORS MANUFACTURE

T Terminal Block



TEK
COMMERCIAL
MMILCMTIDE



TB35R - B

Pitch / Height	8.25mm / 15.1mm
Poles	2P~26P
Rated	300V/20A
Wire	22-12AWG



TB49

Pitch / Height	9.5mm / 13.0mm
Poles	2P~24P
Rated	300V/20A
Wire	22-12AWG



TB45C - B

Pitch / Height	9.5mm / 18.4mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB45S - B

Pitch / Height	9.5mm / 18.4mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB45H - A

Pitch / Height	9.5mm / 18.4mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB45R - B

Pitch / Height	9.5mm / 18.4mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB46S-B

Pitch / Height	9.5mm / 15.0mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB55C - B

Pitch / Height	10.0mm / 18.0mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB55R - B

Pitch / Height	10.0mm / 18.0mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG

T Terminal Block



TB55S - B

Pitch / Height	10.0mm / 18.3mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB55H - A

Pitch / Height	10.0mm / 18.3mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB69

Pitch / Height	11.0mm / 14.0mm
Poles	2P~24P
Rated	300V/25A
Wire	22-12AWG



TB65C - B

Pitch / Height	11.0mm / 18.0mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB65S - B

Pitch / Height	11.0mm / 18.0mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB65H - A

Pitch / Height	11.0mm / 18.0mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB65R - B

Pitch / Height	11.0mm / 18.0mm
Poles	2P~26P
Rated	300V/25A
Wire	22-12AWG



TB66S-B

Pitch / Height	11.11mm / 17.3mm
Poles	2P~26P
Rated	300V/30A
Wire	22-12AWG



TB89

Pitch / Height	14mm / 16.0mm
Poles	2P~24P
Rated	600V/30A
Wire	22-10AWG

AMTEK CONNECTORS MANUFACTURE