

Turning Angle of Adjustable Shaft





Diagram of contacts



Technical Data

- point H/OFF: 320 ±11 DIFF: 4~10
- point L/OFF: 50°C±15°C
- Rated voltage: 250V
- Rated current: C-1 0.5~16A
- Resistance on contacts: ≤50mΩ
- Insulation resistance: >100MΩ/500V
- Hi-pot test: AC 2000V 1min 0.5mA
- Test condition : rate of temperature change(liquid) ≤1K/2min
- Max.ambient temperature: 125 °C
- Max.temperature of the sensor: H/off+30 °C
- Torque of adjustable shaft: 2~5N.cm
- Life(cycles) : 100000

Note:

- 1、 The operation temperature is measured at the ambient temperature 25 °C. So the operation temperature should be amended if the ambient temperature is not 25 °C.
- 2、 Capillary is easily to be damaged, so it should not be struck, pressed and broken. The contact of thermostat and capillary could not be twisted.
- 3、 This drawing shows the position of adjustable shaft at point OFF.
- 4、 The residual technical data consult with GB14536.10-2008.

					Thermostat drawing			WY320-653-21b		
								Drawing no.		Quantity
Nos.		Remarks	Amendment nos.	Signed	Date				1:1	
Designed by			Standardization							
Checked by			Approved by							
Inspected by										
Drawn by			Date							
							Total		pages	
							Page			